"Synthesis and Studies of novel N-based heterocyclic compounds for antimicrobial properties against a range of antibacterial and fungal strains"

Synopsis submitted to IIMT University in partial fulfillment of the requirement for the award of the degree of

DOCTOR OF PHILOSOPHY
In
CHEMISTRY

By

VIKAS KUMAR

Full Time

Under the Guidance of
Professor (Dr.) Deepa Sharma
School of Basic Sciences & Technology
IIMT University, Meerut

IIMT University, Meerut

Department of Chemistry

SCHOOL OF BASIC SCIENCES & TECHNOLOGY,
IIMT UNIVERSITY, MEERUT, U.P., INDIA
October - 2024

DECLARATION

The research work embodied in this synopsis entitle **"Synthesis and Studies of novel N-based heterocyclic compounds for antimicrobial properties against a range of antibacterial and fungal strains**" will be carried out in the laboratory of School of Basic sciences & Technology, IIMT University, Meerut. The work is original and has not been submitted in part or full for any degree or diploma of this or any other University.

Vikas Kumar
(Candidate)

Prof. (Dr.) Deepa Sharma
(Supervisor)

RDC, Chairperson
School of Basic Sciences & Technology
IIMT University, Meerut, U.P.
Meerut - 250001

Introduction-

Currently facing global health, one of the biggest and most pressing issues is antimicrobial resistance (AMR). The disease is brought on by germs that can transfer to other people, including bacteria, viruses, fungi, and parasites. As a result, normal therapies become ineffective and the infection becomes persistent. The swift rise of antimicrobial resistance is concerning as it poses a risk to decades of medical advancements, especially the effectiveness of antibiotics, which form the cornerstone of contemporary medicine. Many common illnesses could become lethal once more if this trend persists, and commonplace medical treatments could become riskier [1].

It is necessary to find and create new antimicrobial agents to counter this expanding menace. Pharmaceutical research is focused on finding new chemicals that can effectively combat drug-resistant forms of bacteria and fungi. Heterocyclic compounds have emerged as particularly promising candidates among the different types of chemicals examined for their potential antibacterial activities. Compounds classified as heterocycles have a ring that contains at least one atom other than carbon, such as oxygen, sulphur, nitrogen, or both. These structures are found in a wide variety of physiologically active compounds, including many medications.

Heterocyclic compounds are especially helpful in medication design and development because of their special qualities. Because of their structural diversity, their chemical and physical characteristics can be fine-tuned, which can increase their antibacterial activity. This adaptability is partly attributed to heteroatoms' capacity for numerous interactions with biological targets, which makes it possible to create compounds that are highly potent and selective against microbial pathogens[2-4].

This thesis' primary goal is to create new heterocyclic chemicals and assess how effective they are against bacteria given their potential. These compounds are created via a sequence of chemical processes that begin with simpler organic molecules and end with heterocycles. Following synthesis, these compounds undergo a thorough evaluation process to ascertain their efficacy against a range of bacterial and fungal species. To create a thorough profile of their antimicrobial spectrum, this assessment usually entails testing against a variety of fungal infections, Gram-positive and Gram-negative bacteria, and both.

In vitro testing is used in the evaluation procedure, where the synthetic drug is added to a target microorganism culture. Researchers assess a compound's capacity to prevent these microbes from growing, frequently calculating a minimum inhibitory concentration (MIC) to gauge how effective it is. To comprehend their mode of action, compounds exhibiting potent antibacterial activity underwent additional analysis. In order to understand how these substances work and to assist uncover possible paths for resistance development, it may be necessary to investigate how they interact with certain bacterial or fungal targets (such as enzymes or components of cell membranes[5-7].

Through investigating the antibacterial capabilities of recently synthesized heterocyclic compounds, this study hopes to advance the field of medicinal chemistry. The ultimate objective is to find medication candidates that can be further refined into unique antimicrobial agents, offering fresh tools in the battle against antibiotic resistance. If successful, these substances might serve as the building blocks for novel therapies that get around present restrictions and guarantee the ongoing effectiveness of antimicrobial treatments in the future. Because of this, this research not only tackles a pressing health issue but also serves as an example of the ongoing innovation required to maintain an advantage in the arms race against ever-evolving microbial threats.

Hypothesis-

Recent advances in the design and synthesis of novel heterocyclic compounds have led to the development of molecules with enhanced antimicrobial properties that are effective against a wide range of bacterial and fungal strains.

This hypothesis suggests that the research focuses on evaluating the effectiveness of newly designed heterocyclic compounds in combating various microbial infections.

Review of Literature

The fundamentals of medicinal chemistry are heterocyclic molecules, which have been thoroughly investigated for their antibacterial qualities. These substances have a lot of promise for treating microbial diseases since they have a range of chemical configurations with at least one non-carbon atom in a ring. Due to their potent interactions with microbial cellular components, pyrrole, imidazole, thiazole, and oxazole are among the many types of heterocyclic compounds that have garnered a lot of interest. These interactions may cause important biological processes to be disrupted, which could ultimately result in the death of microorganisms.

Nitrogen atoms form a five-membered ring called pyrrole. Studies have been done on its broad-spectrum antibacterial activity. Pyrroles have the ability to interfere with basic microbial activities such DNA synthesis and protein function by interacting with microbial DNA, proteins, and cell membranes. Pyrrole's capacity to insert itself into DNA strands prevents transcription and replication, which stops bacteria from growing. Furthermore, it has been demonstrated that pyrrole ring changes, such as the insertion of different substituents, improve the antibacterial characteristics of the molecule by increasing its binding affinity and specificity for microbial targets[8-9].

Another class of five-membered heterocyclic compounds with two nitrogen atoms arranged non-adjacently is the imidazole class. These substances' antifungal and antibacterial properties have been well researched. A crucial component of fungal cell membranes, ergosterol, can be inhibited by imidazole, which increases membrane permeability and causes cell death. Imidazole disrupts metabolic processes and growth-inhibiting proteins in bacteria by interfering with essential enzymes and proteins. Imidazoles' antibacterial efficiency can be greatly enhanced by structural alterations, such as the addition of aryl or alkyl groups, which also broadens their range of activity[10-11].

Nitrogen atom and sulphur atom form the five-membered ring of the thiazole molecule, which have potent antibacterial properties. Thiazole medications cause lysis and death of microorganisms by damaging their cell walls and membranes. Additionally, they have the ability to block important enzymes that are part of metabolic pathways, depriving microbes of vital nutrients and energy. By altering the

substituents on the core ring, thiazoles' antibacterial activity can be fine-tuned, enabling the creation of molecules with improved specificity and decreased toxicity[12-13].

Oxazoles, which have a five-membered ring with one oxygen atom and one nitrogen atom, also exhibit strong antibacterial activity. These substances cause microbial mortality by interfering with the synthesis of DNA and proteins and by damaging membrane integrity. Enhancing antibacterial activity can be accomplished by utilising the distinct electrical and steric features that the ring structure's oxygen and nitrogen provide. The way the oxazole core is modified and the substituents are made affect how effective the compound is against different types of microorganisms[14-15].

Previous research has demonstrated that the molecular structure of heterocyclic compounds has a significant impact on their antibacterial effectiveness. Their interactions with microbial targets can be greatly impacted by modifications to the substituents, overall molecular configuration, and the type and location of the heterocyclic core. Comprehending these structural elements is essential for creating antimicrobial medicines that are effective. The distribution of electrons within a molecule can be altered by groups that donate or withdraw electrons, for instance, which can impact a molecule's capacity to interact with DNA or microbial enzymes. Similarly, large substituents can improve a compound's binding affinity by settling into particular microbial protein pockets.

In conclusion, heterocyclic compounds are a strong and adaptable family of chemicals to be considered while developing novel antibacterial drugs. The potential of compounds like pyrrole, imidazole, thiazole, and oxazole to interfere with important microbial processes makes them very promising. Researchers are able to create compounds that are more selective and effective by comprehending the structural elements that impact antibacterial activity. In order to ensure that antimicrobial medications continue to be effective and to battle the growing problem of antibiotic resistance, this understanding is essential for developing novel treatments.

Plan of work

- Identification of several novel heterocyclic compounds with significant antimicrobial properties.
- Detailed characterization data providing insights into the structural attributes of the compounds.
- Identification of the most potent compounds through antimicrobial assays.

Objectives

The main objectives of this research are:

1. Design and synthesize novel heterocyclic compounds with potential antibacterial properties.

2. Various analytical methods are used to characterize the synthesized compounds.

3. Evaluation of the antimicrobial activity of these compounds against selected bacterial and fungal strains.

Methodology

1. Synthesis of Heterocyclic Compounds: The first step involves designing heterocyclic compounds with different structural characteristics. Target compounds will include derivatives of well-known heterocyclic systems such as indole, quinoline, imidazole, pyrrole, and thiazole etc.

2. Characterization of Synthesized Compounds: The synthesized compounds will be characterized using a combination of spectroscopic and analytical techniques.

3. Antimicrobial Assays: The antimicrobial activity of the synthesized compounds will be evaluated against a panel of bacterial and fungal strains[16-17]. The selected strains will include:

- **Bacterial Strains:** Gram-positive (e.g., *Staphylococcus aureus*, *Bacillus subtilis*) and Gram-negative (e.g., Escherichia coli, Pseudomonas aeruginosa) bacteria.
- **Fungal Strains:** Yeasts (e.g., *Candida albicans*) and filamentous fungi (e.g., *Aspergillus niger*).

The assays will include:

- **Minimum inhibitory concentration (MIC):** Determines the lowest concentration of a compound that inhibits the growth of visible microorganisms.

BIBLOGRAPHY-

1. Ali, M., Sholkamy, E. N., Alobaidi, A. S., Al-Muhanna, M. K., & Barakat, A. (2023). Synthesis of Schiff bases based on chitosan and heterocyclic moiety: evaluation of antimicrobial activity. *ACS Omega*, *8*(49), 47304–47312. https://doi.org/10.1021/acsomega.3c08446
2. Kumar, R., Singh, A. A., Kumar, U., Jain, P., Sharma, A. K., Kant, C., & Faizi, M. S. H. (2023). Recent advances in synthesis of heterocyclic Schiff base transition metal complexes and their antimicrobial activities especially antibacterial and antifungal. *Journal of Molecular Structure*, *1294*, 136346. https://doi.org/10.1016/j.molstruc.2023.136346
3. Baranwal, J., Kushwaha, S., Singh, S., & Jyoti, A. (2023). A review on the synthesis and pharmacological activity of heterocyclic compounds. *Current Physical Chemistry*, *13*(1), 2–19. https://doi.org/10.2174/1877946813666221021144829
4. Zitko, J., Zimčík, P., & Bouz, G. B. (2024, June 4). *Design, synthesis and evaluation of heterocyclic compounds with potential antimicrobial activity V*. Digitální Repozitář UK. https://dspace.cuni.cz/handle/20.500.11956/190217
5. Borah, P., Hazarika, S., Chettri, A., Sharma, D., Deka, S., Venugopala, K. N., Shinu, P., Al-Shar'i, N. A., Bardaweel, S. K., & Deb, P. K. (2023). Heterocyclic compounds as antimicrobial agents. In *Elsevier eBooks* (pp. 781–804). https://doi.org/10.1016/b978-0-323-85730-7.00068-0
6. Lihumis, H. S., Alameri, A., Zaooli, R., & Chemistry, C. (2022). Design, Synthesis of Sulfadiazine Derivatives bearing Some New Heterocyclic Compounds with study Antimicrobial and Antioxidant Activity. *Egyptian Journal of Chemistry*, *0*(0), 0. https://doi.org/10.21608/ejchem.2022.131305.5787
7. Kabir, E., & Uzzaman, M. (2022). A review on biological and medicinal impact of heterocyclic compounds. *Results in Chemistry*, *4*, 100606. https://doi.org/10.1016/j.rechem.2022.100606

8. Costa, R. F., Turones, L. C., Cavalcante, K. V. N., Júnior, I. a. R., Xavier, C. H., Rosseto, L. P., Napolitano, H. B., Da Silva Castro, P. F., Neto, M. L. F., Galvão, G. M., Menegatti, R., Pedrino, G. R., Costa, E. A., Martins, J. L. R., & Fajemiroye, J. O. (2021). Heterocyclic compounds: pharmacology of pyrazole analogs from rational structural considerations. *Frontiers in Pharmacology*, *12*. https://doi.org/10.3389/fphar.2021.666725
9. Khan, M. F., Alam, M. M., Verma, G., Akhtar, W., Akhter, M., & Shaquiquzzaman, M. (2016). The therapeutic voyage of pyrazole and its analogs: A review. *European Journal of Medicinal Chemistry*, *120*, 170–201. https://doi.org/10.1016/j.ejmech.2016.04.077
10. Gaba, M., & Mohan, C. (2015). Development of drugs based on imidazole and benzimidazole bioactive heterocycles: recent advances and future directions. *Medicinal Chemistry Research*, *25*(2), 173–210. https://doi.org/10.1007/s00044-015-1495-5
11. Tolomeu, H. V., & Fraga, C. a. M. (2023). Imidazole: synthesis, functionalization and physicochemical properties of a privileged structure in medicinal chemistry. *Molecules/Molecules Online/Molecules Annual*, *28*(2), 838. https://doi.org/10.3390/molecules28020838
12. Guo, J., Xie, Z., Ruan, W., Tang, Q., Qiao, D., & Zhu, W. (2023). Thiazole-based analogues as potential antibacterial agents against methicillin-resistant Staphylococcus aureus (MRSA) and their SAR elucidation. *European Journal of Medicinal Chemistry*, *259*, 115689. https://doi.org/10.1016/j.ejmech.2023.115689
13. Hussain, R., Rehman, W., Khan, S., Maalik, A., Hefnawy, M., Alanazi, A. S., Khan, Y., & Rasheed, L. (2023). Imidazopyridine-Based Thiazole derivatives as potential antidiabetic agents: synthesis, in vitro bioactivity, and in silico molecular modeling approach. *Pharmaceuticals*, *16*(9), 1288. https://doi.org/10.3390/ph16091288
14. Srilakshmi, S., & Sundararajan, R. (2023). Design, in silico studies, synthesis, characterization, and biological activities of novel substituted oxazole derivatives. *Russian Journal of Bioorganic Chemistry*, *49*(6), 1353–1366. https://doi.org/10.1134/s106816202306016x
15. Joshi, S., Mehra, M., Singh, R., & Kakar, S. (2023). Review on Chemistry of Oxazole derivatives: Current to Future Therapeutic Prospective. *Egyptian Journal of Basic and Applied Sciences/Egyptian Journal of Basic and Applied Sciences*, *10*(1), 218–239. https://doi.org/10.1080/2314808x.2023.2171578

16. Arshad, M. (2020). Heterocyclic compounds bearing pyrimidine, oxazole and pyrazole moieties: design, computational, synthesis, characterization, antibacterial and molecular docking screening. *SN Applied Sciences/SN Applied Sciences*, *2*(3). https://doi.org/10.1007/s42452-020-2243-0
17. Michael, A., Kelman, T., & Pitesky, M. (2020). Overview of Quantitative Methodologies to Understand Antimicrobial Resistance via Minimum Inhibitory Concentration. *Animals*, *10*(8), 1405. https://doi.org/10.3390/ani10081405